

OPTOMETRIST SERVICES			
	Minimum standards for Clinics/Polyclinics	Minimum standards	REMARKS
<b>1</b>	<b>Scope</b>		
	Services Provided	REFRACTIVE ERROR,DETECTION OF CATARACT,SQUINT,CORNEAL ULCER	
<b>2</b>	<b>Physical Infrastructure</b>		
	<b>b. Space requirement</b>	<b>10'*15',DARK ROOM</b>	
	i. Reception	Yes	M-Mandatory
	ii. consultation/waiting area	Yes	M-Mandatory
	iii. OPD Area	Yes	M-Mandatory
<b>3</b>	<b>Human resources</b>		
	Doctors	ophthalmologist	
	Tech staff	BSC OPTOMETRICS	M-Mandatory
	Non Tech staff	Attendant	D-Desirable
	Duty and salary roster	Yes	M
<b>4</b>	<b>Equipment</b>		
	other	STREAK RETINOSCOPE,VISION CHART,NEAR VISION, AUTO REFRACTOR,AUTO KERATOFACOR (OPTIONAL)	M
	Emergency kit and medicine	.5%TROPICAMIDE,.5%TROPICAMIDE+5%PHENYLEPH RINE,2%HOMATROPINE, STERILE FLUORESIN STICK, .3%CIPROFLOXACIN DROP	M-Mandatory
	Annual Maintenance records of equip	Yes	D
<b>5</b>	<b>support services</b>		
	a security	Yes	D
	b. BMW management	Yes	M
	c. Laundry	Yes	own/outsourced

6	<b>Standard on basic processes</b>		
	<b>a. Receiving patients,privacy for patients while examining especially females</b>	Yes	D
	<b>b. Infection control practices</b>	Yes	M
	soap and water	Yes	M
	facilities for hand washing and disinfection	Yes	M
	Disinfection of work Area	Yes	M
	Use of disposable services	yes	M
	small autoclave	Yes	D
	facilities for sterilization	Yes	M
	<b>c. Policy on outsourced services</b>	Yes	D

**M- Mandatory**

**D- Desirable**